

## LINEAR / LANDSCAPE Electric Fireplaces



### Built-in Linear Electric Fireplaces



# Designed to ignite your passion.

Less Frame, More Flame Clean front face with minimal trim makes the dazzling flames the focal point.

Multi-Fire XD<sup>®</sup> Flame Effect Vivid flames that are brighter and more lifelike day or night.

#### Edgeless Design

Installs without trim to stone, brick and other solid finish materials; includes trim for drywall and tile surfaces.

**Comfort\$aver**<sup>™</sup> **Heating System** Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

#### Acrylic Ice Media Bed

Light plays through different size pieces and sparkle in a spectrum of colors.

#### Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.

### Built-in Touch Controls

Backlit controls are hidden when not in use.

Mood-maker Remote

Customize the light color and intensity for a fireplace that reflects your personality.

#### Seamless Installation

Low-profile design fully recesses in 2" x 6" wall construction and 2" x 4" with optional trim. Hardwire using 120V or 240V for powerful heating.







XLF100

120 Volts | 1,500 Watts | 5,118 BTU 240 Volts | 2,500 Watts | 8,530 BTU 100<sup>1</sup>/4" x 15<sup>5</sup>/8" x 5<sup>7</sup>/6" (WxHxD) 255.5 cm x 39.6 cm x 14.7 cm Viewing Dimensions: 98<sup>3</sup>/4" x 121/4" 250.8 cm x 30.7 cm Heater Disable

Pleater Disable 2-year limited warranty



(Som Siebergerse

### Built-in Linear Electric Fireplaces



Acrylic Ice Media Bed Light plays through different size pieces and sparkle in a spectrum of colors.

Media Accent Colors Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.

#### Remote Thermostat Control

Temperature control at your fingertips for convenient comfort.

### **Floating Display**<sup>™</sup>

On-screen display shows temperature and feature settings at a glance.

#### Multi-function Remote

Control the flame, heat and thermostat from the comfort of your chair.

### Flexible Installation

Choose fully recessed, surface mounted (plug-in) or partially recessed (BLF3451 and BLF5051) installation.

Wired, Seamless Design Designed for built-in installations wired directly to a dedicated circuit for a clean, custom appearance.



2-year limited warranty



**BLF5051** 120 Volts | 1,230 Watts | 4,197 BTU 50<sup>1</sup>/4" x 19<sup>1</sup>/2" x 7<sup>1</sup>/4" (WxHxD) 127.7 cm x 49.5 cm x 18.1 cm Viewing Dimensions: 47<sup>1</sup>/4" x 10<sup>7</sup>/8" 119.8 cm x 27.6 cm

Heater Disable 2-year limited warranty

Driftwood and River Rock Accessory Package shown with LF50DWS-KIT



### BLF7451

120 Volts | 1,230 Watts | 4,197 BTU 240 Volts | 2,430 Watts | 8,290 BTU 741/4" x 191/2" x 71/4" (WxHxD) 188.4 cm x 49.5 cm x 18.7 cm Viewing Dimensions: 71" x 10<sup>5</sup>/8" 180.4 cm x 27.0 cm

Heater Disable

©Janet Kimber Photography

185.

### Built-in Linear Electric Fireplaces

### **BLF** Series

### Features

#### **The Original Dimplex** A Flame Effect<sup>™</sup>

A blend of technology, artistry and craftsmanship that sets the standard for realism.

### → Viewing Area

Enjoy the panoramic flame through the industry's largest viewing area.

### **Media Bed**

Tumbled glass ember bed pieces that are colored and silvered on one side for an alluring effect.

**Supplemental Heat** Includes a powerful fanforced heater designed

to keep the rooms you spend the most time in warm and comfortable.

### Remote

Includes a convenient remote control.

#### **Seamless Installation** •---

Can be recessed with direct-wire for a seamless look, or simply hung on the wall.

### Warranty

### 2-year limited warranty.

### BLF34

120 Volts | 1,220 Watts | 4,163 BTU 34<sup>1</sup>/4" x 19<sup>1</sup>/2" x 7<sup>1</sup>/4" (WxHxD) 86.7 cm x 49.5 cm x 18.1 cm Viewing Dimensions: 311/8" x 105/8" 78.8 cm x 26.8 cm

Driftwood and River Rock Accessory Package shown with LF34DWS-KIT









### BLF74

120 Volts | 1,230 Watts | 4,197 BTU 240 Volts | 2,430 Watts | 8,291 BTU

74<sup>1</sup>/<sub>4</sub>" x 19<sup>1</sup>/<sub>2</sub>"x 7<sup>1</sup>/<sub>4</sub>" (WxHxD) 188.3 cm x 49.5 cm x 18.7 cm

Viewing Dimensions: 71" x 10<sup>5</sup>/8" 180.4 cm x 27.0 cm

### Accessories

### IgniteXL Trim Accessories


Allows installation of IgniteXL in 2" x 4" wall construction.

XLFTRIM50 Compatible with the XLF50 (WxHxD): 52-3/4" x 18-1/4" x 1-7/8" (134.0 cm x 46.2 cm x 4.5 cm)

XLFTRIM60 Compatible with the XLF60 (WxHxD): 62-3/4" x 18-1/4" x 1-7/8" (159.4 cm x 46.2 cm x 4.5 cm)

XLFTRIM74 Compatible with the XLF74 (WxHxD): 76-3/4" x 18-1/4" x 1-7/8" (195.0 cm x 46.2 cm x 4.5 cm)

**XLFTRIM100** Compatible with the XLF100 (WxHxD): 102-3/4" x 18-1/4" x 1-7/8" (261.0 cm x 46.2 cm x 4.5 cm)



Your authorized Dimplex dealer:

## IgniteXL, Prism and BLF Driftwood and River Rock Accessory Packages



Compatible with all XLF, Prism and BLF models.

LF34DWS-KIT Includes loose river rock and one large piece of driftwood.

**LF50DWS-KIT** Includes loose river rock, one large and one small piece of driftwood.

**LF74DWS-KIT** (Also available for use with XLF60) Includes loose river rock, one small and two large pieces of driftwood.

LF100DWS-KIT Includes loose river rock, two large and two small pieces of driftwood.



For more information and product specifications, please visit dimplex.com



Cohesion

\*Only available for the BLF50/5051.

Trim\*

Black

DT1267BLK



**Glen Dimplex Americas** Telephone: 1-888-346-7539 Fax: 1-800-668-6665

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. This product may be covered by one or more U.S. patents or pending patent applications. See www.dimplex.com/patents for details. © 2018 Glen Dimplex Americas.



