

Rushmore Clean-Face Direct-Vent Fireplace Inserts WITH TRUFLAME TECHNOLOGY



RUSHMORE CLEAN-FACE Direct-Vent Fireplace Inserts



12.22

Available in 30-inch and 35-inch models, Rushmore Direct-Vent Inserts turn your wood-burning fireplace into an attractive and efficient centerpiece. The TruFlame system combines technology with aesthetics to create truly realistic flames and a glowing ember bed, reminiscent of a wood fire.

Beneath the logs, the massive field of glowing embers assures everyone that this fireplace has been warming your home all day. Concealed beneath the logs and embers, the two burners let you vary the flame and the heat output to create the perfect mood.



INSPIRING VERSATILITY


Liners & Logs (ONE OF EACH REQUIRED)



Old World Stone



Rustic Brick



Black Glass



Traditional Charred Log Set



Driftwood Log Set

Surrounds & Fronts (SURROUND REQUIRED; FRONT OPTIONAL)







Forged Iron Front



Forged Iron Front and Rectangle Inset (Front and Inset sold separately)



Forged Iron Front and Arch Inset (Front and Inset sold separately)

TRUFLAME TECHNOLOGY Most Realistic Flames

Complementing the logs and giant ember bed, TruFlame Technology includes two burners for independent front/rear burner control of the ultra-realistic flames. With both burners in your control, you can call for a roaring fire, a low glow, or anywhere in between.

The multifunction remote operates as a conventional thermostat, a Smart Thermostat which modulates flame height as the room reaches the desired temperature, or as a manual control. The remote also operates the included accent light and blower.

STANDARD FEATURES

Your Rushmore Direct-Vent Insert includes an accent light and blower. Customize your insert further by choosing a liner and log set (both required), and finish it with a required surround and optional front.

- Accent Light
- Blower




		123	
Insert Dimensions			
DIMENSION	DVCT30CBN	DVCT35CBN	
А	19"	24"	
В	30-11/16"	34-3/4"	
С	17-9/16"	18-9/16"	
G	21-11/16"	25-1/8"	
	15-1/8"	17-1/8"	
J	5-7/8"	6-15/16"	
К	9-3/4"	9-1/4"	
L	16-7/16"	16-13/16"	
М	1-1/8"	1-13/16"	
Ν	15-1/4"	20-1/4"	
0	25-1/2"	29-1/2"	
	1	1	

Btus (Max / Min)				
	DVCT30CBN	DVCT35CBN		
Natural	30,000 / 8,500*	39,000 / 10,000*		
LP	28,500 / 10,000*	35,000 / 11,000*		

linimum with front burner only

Minimum Fireplace Opening Dimensions			
	DVCT30CBN	DVCT35CBN	
А	19-1/2"	24-1/2"	
В	31-1/4"	35-1/4"	
С	18"	19"	
D	22"	25-3/4"	



Specifications		
Type of Gas	Natural or LP	
Iron Pipe Size (N.P.T.)	1/2-inch	
Ignition Systems	Multi Function Remote with IP	
Venting	3x4-inch Flex Vent	

Warranty


10-year limited warranty on combustion chamber, limited lifetime on glass.

All other parts carry a three-year limited warranty.

All remote controls carry a one-year limited warranty.

Member of the following industry associations:







Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos.



Empire Comfort Systems Inc. 918 Freeburg Ave. Belleville, IL 62220-2623 info@empirecomfort.com WMH-01017 3/15/18

The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.

