




## **Hearth Products Controls Co** FOR COMMERCIAL AND RESIDENTIAL USE


**HEARTH PRODUCTS CONTROLS** 2225 LYONS RD. MIAMISBURG, OH 45342

TOLL FREE: 877.585.9800 PHONE: 937.436.9800 www.hpcfire.com









MODEL	BTU	DIMENSION CHART		
		ENCLOSURE	PAN	BURNER
UST54S/FPPK25CEK-LP	90k	54X54X23.5"	25"	18"
UST54S/MLFPK25CEK-LP	65k	54X54X23.5"	25"	18"
UST70X24/36FPPKCEK-LP	90k	70X24X23.5"	36"	35"
UST70X24/36MLFPKCEK-LP	65k	70X24X23.5"	36"	35"
UST80X24/48FPPKCEK-LP	90k	80X24X23.5"	48"	47"
UST80X24/48MLFPKCEK-LP	65k	80X24X23.5"	48"	47"
UST70X24/36X14FPPKCEK-LP	90k	70X24X23.5"	36X14"	30X8"
UST70X24/36X14MLFPKCEK-LP	65k	70X24X23.5"	36X14"	30X8"
UST80X24/49X8FPPKCEK-LP	90k	80X24X23.5"	49X8"	48"
UST80X24/49X8MLFPKCEK-LP	65k	80X24X23.5"	49X8"	48"

## Notes:

- 1. PROPER VENTING
- ENCLOSURES: Recommend 4 each 18 sq.in. vents
- 2. GAS SUPPLY FOR USE WITH SMALL TANKS.
- LP Gas: Operating Supply Pressure: Minimum: 10.0" W.C.; Maximum: 11.0" W.C.

  MODIFCATION OF PRODUCT WILL VOID ANY CERTIFICATION AND WARRANTY.
- 4. FOLLOW ALL MANUFACTURER INSTALLATION INSTRUCTIONS AND LOCAL CODES.
- 5. ALL DIMENSIONS ARE CONSIDERED TRUE AND REFLECT MANUFACTURER'S SPECIFICATIONS AS OF THE REVISION DATE.
- 6. DO NOT SCALE DRAWING.
- 7. THESE DRAWINGS ARE FOR SIZING AND PLANNING PURPOSES. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT. THE MANUFACTURER'S RESPONSIBLE FOR THE ACCURACY OF THE DRAWING.
- 8. CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info REFERENCE NUMBER 771-073.



READY TO FINISH SQUARE AND RECTANGLE SMALL TANK SERIES

REVISION DATE 9/11/2019 771-073