

# Industrial & Commercial Portable Electric Heaters



### For Rental Services & Temporary Heating Applications



# *Temporary Heating Solutions For Any Job!*

From smaller portable electric heaters to industrial & commercial units designed to heat large construction projects, we've got you covered.

#### Portable Electric Advantages

- 100% clean, dry heat no moisture added to air
- No exhaust can be used in confined spaces
- No need for gas line or propane
- Quiet operation
- Ductable & non-ductable models available

#### Applications

- Temporary heating for contractors & special events
- Emergency situations heat loss, thawing of frozen pipes

#### Capacity

5 kW / 7.5kW / 10kw / 15kW / 20kW / 25kW

#### All Units Provide Dry Heat Does Not Add Moisture To Environment

#### **Portable Wheeled Unit Heater PCKW Series**

2Year

Narrantv

**UP TO 2500 SQ FT** 

34,100-85,250 BTU

1,000-1500 CFM

208/240/480V

10kW-25kW 1-3 Phase

Adjustable louvers

**Portable Outdoor Rated Unit Heater PCKF Series** 

#### **Electronic Portable Wheeled Unit Heater PKB** Platinum Series



- 6ft. SO cord (no plug)
- Fan only switch 6ft. SO cord (no plug)

- Fan only switch
- 6ft. SO cord (no plug)

• 6ft. SO cord (no plug)

## Industrial Portable Unit Heater

**PKB-FM Series** 

IMITED

**2**Year

Narranty

**UP TO 2000 SQ FT** 

17,100-68,200 BTU

400-1100 CFM

208/240/480V

Stackable Design

Adjustable louvers

Fan only switch

5kW-20kW 1-3 Phase

#### High Velocity Drum Fans DFC Series



7300-17800 CFM 73-81 DB Noise Level



#### 24" / 30" / 36" /42" / 48" 120V Belt Drive / Direct Drive

#### Features

- 2-Speed switch motor
- Aerodynamically balanced blades
- Convenient handles & rugged wheels
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish



## High Velocity Pedestal Fans



8800-91000 CFM 74-76 DB Noise Level

#### 24" / 30" 120V Direct Drive

#### Features

- 2-Speed pull chain switch
- 3 aerodynamically balanced blades
- Meets OSHA 1910.212(A)(5) requirements
- 9 ft, 120V grounded cord & plug
- Scratch resistant, powder- coated finish
- Adjustable height from 57" to 75"

#### 🎂 king

REV 3-02-20

King Electrical Manufacturing Company 9131 10th Avenue South, Seattle WA 98108 phone 206.762.0400 fax 206.763.7738 king-electric.com



# king Smart Heating Solutions

## **Industrial & Commercial Portable Electric Heaters**

Item Number	РКВ-ҒМ	РКВ-DT	РКВЅ	PKB Platinum
Category	Industrial Portable	Industrial Portable	Industrial Portable	Industrial Portable
Application	Portable Large Facility Coverage			
Max SqFt (8Ft Ceiling)	Up to 2,000 SqFt	Up to 1,500 SqFt	Up to 2,000 SqFt	Up to 2,000 SqFt
Voltage	208, 240, 480	208, 240, 480	208, 240, 480	208, 240, 480
Wattages Available (kW)	5,000 - 20,000	5,000 - 15,000	5,000 - 20,000	7,500 - 20,000
Phasing Available	1PH or 1-3Ph	1PH or 1-3Ph	1PH or 1-3Ph	1PH or 1-3Ph
Power Supply	Portable	Portable	Portable	Portable
BTU Output	17,100 - 68,200	17,100 - 51,200	17,100 - 68,200	25,600 - 68,200
CFM	400 - 1100	400 - 925	400 - 1100	400 - 1100
Energy-Saving 2-Stage Heating	NO	NO	NO	NO
Built-In Thermostat	Bi-Metal	Bi-Metal	Bi-Metal	Electronic
Adjustable Louvers	YES	NO	YES	YES
Power Indicator Light	NO	NO	NO	YES
0N/0FF Switch	NO	NO	NO	YES
High/Low	NO	NO	NO	NO
Fan Only Switch	YES	YES	YES	YES
Built-In Timer	NO	NO	NO	1-9 Hrs
Element Construction	Spiral Fin	Spiral Fin	Spiral Fin Stainless	Spiral Fin
High Limit Safety Control	Self-Hold	Self-Hold	Self-Hold	Self-Hold
Auto Fan Delay	YES	YES	YES	YES
Ductable	NO	Ductable On Outlet	NO	NO
Wet Location Rating	NO	YES	YES	NO
Instruction Manual	YES	YES	YES	YES
Mounting Diagram	NO	NO	NO	YES
Warranty	2-Year	2-Year	2-Year	2-Year
Factory Tech Support	YES	YES	YES	YES
Electronic Controls	NO	NO	NO	YES
Remote Control	NO	NO	NO	YES
Made In USA	YES	YES	YES	YES

# king-electric.com







#### PCKW

Wheeled Industrial Portable
Portable Large Facility Coverage
Up to 2,500 SqFt
208, 240, 480
10,000 - 25,000
1PH or 1-3Ph
Portable
34,100 - 85,250
1000 - 1500
NO
YES
YES
NO
YES
NO
YES
NO
Spiral Fin
Auto Reset
YES
NO
NO
YES
NO
2-Year
YES
NO
NO
YES



#### PCKF

**Outdoor Rated Industrial Portable** Portable Outdoor Coverage Up to 2,500 SqFt 208, 240, 480 10,000 - 25,000 1PH or 1-3Ph Portable 34,100 - 85,250 1000 - 1500 Remote Stat & 100' Cord NO NO NO NO Spiral Fin Auto Reset Ductable On Outlet 2-Year NO YES

