



ABOUT US

Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has skyrocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames has reinvented the electric fireplace look with its NEW Hybrid-FX™ flame technology. Modern Flames' products have gained notoriety with architects, designers, builders and homeowners for its

unbelievable life-like flame appearance, ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, Modern Flames' new FusionFire™ technology allows consumers to achieve the look of a fireplace without sacrificing the realism of a real fire. With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, along with it's new steam technology, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.

CONTENTS

4-7 Sedona Pro™ Multi Series

Multi Sided Views with Multiple Installation Configs

8-13 RedStone Series

Built-in Flush Mount Electric Fireplace Insert

14-15 Sunset Charred Oak Logs
Electric Log Set - Li-ion Battery or Plug-in

COVER PHOTO

Hybrid-FX™ FLAME TECHNOLOGY RedStone 36"



SEDONA PRO™ MULTI SERIES

Multi Sided Electric Fireplace

- MULTI SIZES: 30", 36" & 42"
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE PARTIAL 2x6 RECESS
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams. New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home. Hundreds of different stunning color combinations to select from!



STANDARD FEATURES



Hybrid-FX™ Flame Technology



Back Flame & Ember Bed Controlled Independently or Together Down lighting



2 Different Ember Bed Stone Styles



Full Flame Viewing Area



Fully Finished Clean Face Installation



5,000 BTU Variable Heater



Wariable Flames



Remote Control



Hidden Manual Controls




Wi-Fi Controls with Modern Flames App

SEDONA - INDEPENDENT COLOR CONTROL Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting







MEDIA - PREMIUM LOG SET STANDARD Canyon Driftwood Log Set with Smoked Glacier Glass Ember Bed

UPGRADE MEDIA Cannon Ball Media



Cannon Balls – Available Sizes: 2", 4" & 6" (4" shown)

HEAT - 5,000 BTU 120V & 240V High Efficiency Ceramic Heater






FLAMES & LIGHTING 15 WATTS NO HEAT

1500 WATT HEATER 120V 5,000 BTU UP TO 400 SQ FT




Sedona Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wall Tether has thermostat controls.




MULTI INSTALLATIONS - OVER 12 DIFFERENT CONFIGURATIONS

- BUILT-IN/ CLEAN FACE INSTALLATION
- PARTIAL RECESS INSTALLATION (2x6 WALL)
- FLOATING WALL CABINET
- FLOOR CABINET
- SINGLE SIDED
- · LEFT CORNER
- RIGHT CORNER













CORNER (L/R) 29.875" 5 26" 30" 35" 11.5" 4.5" 4.5" 4.125" 3-SIDED (BAY) 29.875" 5 26" 30" 35" 11.5" 4.5" 4.5" 4.5" 4.125" SPM-3626 SINGLE SIDED 35.875" - 26" 36" 35" 11.5" 4.5" 4.5" CORNER (L/R) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.5" 4.125" 3-SIDED (BAY) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.5" 4.125"	MODEL & CONFIGURATION		VIEWING AREA			FIREBOX DIMENSIONS					
SPM-3026 SINGLE SIDED 29.875" - 26" 30" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 29.875" 5 26" 30" 35" 11.5" 4.5" 4.5" 4.125" 3-SIDED (BAY) 29.875" 5 26" 30" 35" 11.5" 4.5" 4.5" 4.125" SPM-3626 SINGLE SIDED 35.875" - 26" 36" 35" 11.5" 4.5" 4.5" 4.125" CORNER (L/R) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.125" SPM-4226 SINGLE SIDED 41.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.125" SPM-4226 SINGLE SIDED 41.875" - 26" 42" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5"			А	В	С	D				Н	
CORNER (L/R) 29.875" 5 26" 30" 35" 11.5" 4.5" 4.5" 4.125" 3-SIDED (BAY) 29.875" 5 26" 30" 35" 11.5" 4.5" 4.5" 4.5" 4.125" SPM-3626 SINGLE SIDED 35.875" - 26" 36" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.5" 4.125" 3-SIDED (BAY) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.5" 4.125" SPM-4226 SINGLE SIDED 41.875" - 26" 42" 35" 11.5" 4.5" 4.5" 4.5" - CORNER (L/R) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5" 4.5" 4.125"	MODEL#	CONFIGURATION									
3-SIDED (BAY) 29.875" 5 26" 30" 35" 11.5" 4.5" 4.5" 4.125" SPM-3626 SINGLE SIDED 35.875" - 26" 36" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.5" 4.125" 4.125" 4.5" 4.5" 4.125" 4.5" 4.5" 4.125" 4.5" 4.5" 4.125" 4.5" 4.5" 4.5" 4.125" 4.5" 4.5" 4.125" 4.5" 4.5" 4.125" 4.5" 4.5" 4.125" 4.5" 4.5" 4.125" 4.5" 4.5" 4.5" 4.125" 4.5" 4.5" 4.5" 4.5" 4.5" 4.5" 4.5" 4.	SPM-3026	SINGLE SIDED	29.875"	-	26"	30"	35"	11.5"	4.5"	4.5"	-
SPM-3626 SINGLE SIDED 35.875" - 26" 36" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.125" 3-SIDED (BAY) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.125" SPM-4226 SINGLE SIDED 41.875" - 26" 42" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5" 4.125"		CORNER (L/R)	29.875"	5	26"	30"	35"	11.5"	4.5"	4.5"	4.125"
CORNER (L/R) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.125" 3-SIDED (BAY) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.5" 4.125" SPM-4226 SINGLE SIDED 41.875" - 26" 42" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5" 4.5" 4.125"		3-SIDED (BAY)	29.875"	5	26"	30"	35"	11.5"	4.5"	4.5"	4.125"
3-SIDED (BAY) 35.875" 5 26" 36" 35" 11.5" 4.5" 4.5" 4.125" SPM-4226 SINGLE SIDED 41.875" - 26" 42" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5" 4.5" 4.125"	SPM-3626	SINGLE SIDED	35.875"	-	26"	36"	35"	11.5"	4.5"	4.5"	-
SPM-4226 SINGLE SIDED 41.875" - 26" 42" 35" 11.5" 4.5" 4.5" - CORNER (L/R) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5" 4.125"		CORNER (L/R)	35.875"	5	26"	36"	35"	11.5"	4.5"	4.5"	4.125"
CORNER (L/R) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5" 4.125"		3-SIDED (BAY)	35.875"	5	26"	36"	35"	11.5"	4.5"	4.5"	4.125"
	SPM-4226	SINGLE SIDED	41.875"	-	26"	42"	35"	11.5"	4.5"	4.5"	-
3-SIDED (BAY) 41.875" 5 26" 42" 35" 11.5" 4.5" 4.5" 4.125"		CORNER (L/R)	41.875"	5	26"	42"	35"	11.5"	4.5"	4.5"	4.125"
		3-SIDED (BAY)	41.875"	5	26"	42"	35"	11.5"	4.5"	4.5"	4.125"



SEDONA PRO™ MULTI DIMENSIONAL DRAWING SHOWN BELOW









REDSTONE SERIES

Built-in Flush Mount Conventional Electric Fireplace

Modern Flames has revamped its built-in, flush mount conventional fireplace category with its new RedStone electric fireplace. The RedStone feature our new Hybrid-FX™ flame technology maximizing the flame height in an enlarged vertical viewing area. Some of the eye-catching features include high intensity RGB independently controlled up lighting, down lighting & flame color. Other standard features include 10 different unique colors to choose from, variable and thermostatically controlled heat, variable motor controls, timer, push button and remote controls. This conventional design can slide into an existing Zero Clearance wood burning fireplace or will need 10" of depth in a wall for the built-in flush mount look. The RedStone plugs into a standard outlet and includes a 5000 BTU heater. Acrylic crystal media and driftwood logs are both standard media & the RedStone is available in sizes 30", 36" & 42".



STANDARD FEATURES



Hybrid-FX™ Flame Technology



10 Unique Flame Colors



Acrylic Crystal Ember Bed



Low Energy LED Flame Technology



Touch Button Controls



New Sleek Remote



Can be Installed Beneath a TV



Variable Heat with Thermostat



Variable Flame Controls



120 Volt Plug



No it Yourself Installation Instructions



Finish Trim Kit Included

REDSTONE SERIES

Independent Flame & Ember Bed Color Combinations

The 6 button control panel is located at the top right on fireplace and includes a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors. Button #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button **#6** adjusts the desired heater temperature.

Flame & Ember Bed Colors Controlled Independently



Blue Flames - Logs on



Orange Flames - Logs on



Red Flames - Logs on



Blue Flames - Logs off



Orange Flames - Logs off



Red Flames - Logs off







Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting



REDSTONE SERIES


Stoll Face Options

STOLL FACES are available in black or bronze, for RedStone 30".











REDSTONE SERIES


Dimension Specs


REDSTONE DIMENSIONAL SPECS

Model # of Fireplace	Trim Width	Part Number of Trim Kit	A	В	
	5/8in	Included with Fireplace	29-1/4in (743mm)	18-7/8in (479mm)	
	1-5/8in	Included with Fireplace	31-1/4in (793mm)	20-7/8in (529mm)	
		TK-RS-3824	38in (965mm) (Thin trim on bottom)	23-1/4in (590mm) (Thin trim on bottom)	
RS-3021	5in		38 in (965mm) (Extra wide trim on bottom)	27-5/8in (701mm) (Extra wide trim on bottom)	
	8in	TK-RS-4427	44in (1117mm) (Thin trim on bottom)	26-1/4in (590mm) (Thin trim on bottom)	
			44in (1117mm) (Extra wide trim on bottom)	33-5/8in (853mm) (Extra wide trim on bottom)	
	5/8in	Included with Fireplace	33-3/4in (610mm)	24in (479mm)	
	1-5/8in	Included with Fireplace	35-3/4in (907mm)	26in (660mm)	
		TK-RS-4128	40-1/2in (1,029mm) (Thin trim on bottom)	27-3/8in (695mm) (Thin trim on bottom)	
RS-3626	4in		40-1/2in (1,029mm) (Extra wide trim on bottom)	30-3/4in (781mm) (Extra wide trim on bottom)	
		TK-RS-4530	44-1/2in (1,130mm) (Thin trim on bottom)	29-3/8in (746mm) (Thin trim on bottom)	
	6in		44-1/2in (1,130mm) (Extra wide trim on bottom)	34-3/4in (882mm) (Extra wide trim on bottom)	
RS-4229	Not available	Not available			

^{*5/8&}quot; trim included in box for built-in installations

Built-In Trim Specs











REDSTONE SERIES

Slide -In Trim Specs Optional Insert Trim Specs










RS-3021 38" 23-1/4" 5" TK-RS-3824 - Thin Trim RS-3021 38" 27-5/8" 5" TK-RS-3824 - Extra Wide T RS-3021 44" 26-1/4" 8" TK-RS-4427 - Thin Trim	Model	А	В	Width	Part Number
	RS-3021	38"	23-1/4"	5"	TK-RS-3824 - Thin Trim
RS-3021 44" 26-1/4" 8" TK-RS-4427 - Thin Trim	RS-3021	38"	27-5/8"	5"	TK-RS-3824 - Extra Wide Trim
	RS-3021	44"	26-1/4"	8"	TK-RS-4427 - Thin Trim
RS-3021 44" 33-5/8" 8" TK-RS-4427 - Extra Wide T	RS-3021	44"	33-5/8"	8"	TK-RS-4427 - Extra Wide Trim



Model	Α	В	Width	Part Number
RS-3626	40-1/2"	27-3/8"	4"	TK-RS-4128 - Thin Trim
RS-3626	40-1/2"	30-3/4"	4"	TK-RS-4128 - Extra Wide Trim
RS-3626	44-1/2"	29-3/8"	6"	TK-RS-4530 - Thin Trim
RS-3626	44-1/2"	34-3/4"	6"	TK-RS-4530 - Extra Wide Trim

13



SUNSET CHARRED OAK LOGS

Electric Log Set

The Sunset Charred Oak Electric Logs set is the industries first battery powered and Wi-Fi enabled electric logs. This electric log set is designed to simply be unpackaged and installed into any existing wood burning fireplace without the hassle of running an electrical line. The Sunset Charred Oak features High Definition resin log detail, unsurpassed bark detail, 8 color paint scheme, Realistic LED ember bed, 6 stage lighting intensity and flame settings, hidden manual controls & Wi-Fi capability. Never has it been easier to add a full featured electric log set to your wood burning fireplace.

SCO-20

HIGH DEFINITION RESIN LOG & BARK DETAIL



OPTIONAL BATTERY PACK & CHARGER (10 hours of use)



26" LOG DIMENSIONS: 12.25" Height 25.5" Width 13.5" Depth

20" LOG SET ALSO AVAILABLE

20" LOG **DIMENSIONS:** 10" Height 19.5" Width 10" Depth

STANDARD FEATURES

High Definition Resin Log Detail
























g+

ModernFlames.com 3515 E. Atlanta Ave. Phoenix, AZ 85040 (602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW