



TDIX3N Timberwolf Gas Insert




TDIX3N Gas Insert

KEY SERIES FEATURES

- Up to 30,000 BTU's
- High performance "H" style burner provides complete firebox width flame display
- Full view design with a massive 340 sq. in. viewing area
- SIT Proflame II Electronic Ignition
- Clean face design and flush finish accessories
- Directional baffles increase air flow for maximum blower efficiency
- Clean contemporary faceplates and backer plates available
- Superior heat circulating blower available
- Minimum fireplace opening 29"w x 21"h x 14 3/8"d
- Vent Size: 2 - 3" Liners

This deluxe Gas Fireplace Insert includes a thermostatic remote, the exclusive NIGHT LIGHT™ detail that radiates a warm glow throughout the room, even when the fireplace is off. This unit has an exclusive dual burner split-flow system that results in a firebox filled with a stunning triple flame pattern and allows the option of independently operating the front and rear burners. The TDIX3N provides additional BTUs for added heat. Directional baffles increase airflow to help drive the heat throughout your home for maximum efficiency. The perfect solution for replacing and updating an inefficient old masonry setting. This insert also comes equipped with eFIRE Bluetooth technology for your added convenience.



Arched, 3 Sided & 4 Sided
Faceplates



Small, Medium & Large
3 Sided Backer Plate



4 Sided Backer Plate



Old Town Red, Newport &
Porcelain Panels



eFire Enabled App
(Included)



Remote Control
(Included)



Blower (Optional)



TDIX3N Gas Insert

Designed with ease of installation in mind, the Timberwolf gas inserts go in quickly and smoothly. A multitude of designer accessories offer many different style combinations. A clean face design and large viewing area make the Timberwolf Series the aesthetic choice while the performance and reliability make it the only choice when it comes to an insert!


TDIX3N Timberwolf Gas Insert

FEATURES

FUEL TYPE	Natural Gas
BLOWER (Must Add 4" to back of the unit)	Optional
GAS VALVE TYPE	Electronic
LP COVERSION KIT	Yes
GLASS / VIEWING HEIGHT (IN)	15"
GLASS / VIEWING WIDTH (IN)	22 11/16"
TOTAL MAX (BTU)	30,000
WARRANTY	President Limited
FLUE COLLAR DIAMETER	Lifetime
MINIMUM CHIMNEY FLUE SIZE	2 - 3"
GLASS TYPE	6" Round
	Ceramic


EXTERIOR DIMENSIONS AND WEIGHT

WIDTH	28 5/8"
DEPTH	14 3/8"
HEIGHT	20 15/16"
WEIGHT	100 lb.
MINIMUM FIREPLACE OPENING - 29" w x 21 1/2" h x 14 3/8" d	





Product Code	A	B	C	D	E
SA_4F3B3	30 3/4"	21 7/8"	1 5/16"	25 3/4"	15 3/8"

Face Plates





Product Code	A	B	C	D	E
S_3F3B3	30 3/4"	20 5/16"	1 5/16"	25 3/4"	17 3/4"
L_3F3B3	35 3/4"	22 13/16"	1 5/16"	25 3/4"	17 3/4"




Product Code	A	B	C	D	E
S_4F3B3	30 3/4"	20 5/16"	1 5/16"	25 3/4"	15 1/4"
S_4F4B3	30 3/4"	21 5/16"	1 5/16"	25 3/4"	15 1/4"
L_4F4B3	35 3/4"	26 5/16"	1 5/16"	25 3/4"	15 1/4"

Front Options




Product Code	A	B	C	D	E
SBK3B2540	40 1/4"	25 1/4"	1"	28 3/4"	19 3/8"
MBK3B2846	45 1/2"	27 11/16"	1"	28 3/4"	19 3/8"
LBK3B3048	48"	30"	1"	28 3/4"	19 3/8"




Product Code	A	B	C	D	E
BK4B3142	42"	31 1/8"	1"	28 3/4"	19 1/16"

Unit Dimensions

Front View



Right Side View



Top View

