# VENT-FREE GAS LOGS





**SUPERIOR GAS LOGS** elevate the traditional log and fire presentation to a much higher level. The combination of authentic looking hand-painted logs with a massive fire and ember bed allows you to have it all. Elegant design, versatility, quality construction, beauty and warmth — a perfect fit for every home.



# VENT-FREE GAS LOGS

## GLOW-RAMP Series ..... 4-5



- Glowing Middle Log & Ember Bed
- 1 Concrete & 1 Ceramic Fiber Log Sets
- Millivolt, Variable & Electronic Controls

### TRIPLE-FLAME Series ...... 10-11



- Deep Flame Pattern & Glowing Embers
- 2 Concrete & 1 Ceramic Fiber Log Sets
- Millivolt, Variable & Electronic Controls

## MEGA-FLAME Series ...... 6-7



- Massive Logs, Flames & Glowing Embers
- 2 Concrete Log Sets
- Millivolt, Variable & Electronic Controls

## **DOUBLE-FLAME Series** ...... 12-13



- Dancing Yellow Flames
- 2 Concrete & 2 Ceramic Fiber Log Sets
- Manual & Millivolt Controls

## MEGA-FLAME Outdoor ...... 8-9



- Stainless Steel Burner & Grate
- 2 Concrete Log Sets
- Millivolt & Electronic Controls

## MULTI-SIDED Series 14



- Perfect for Multiple-Opening Fireplaces
- 1 Ceramic Fiber Log Set
- Millivolt Control

## **Things to Consider When Selecting Your Superior Vent-Free Gas Logs**

Superior offers an extensive line of vent-free gas log sets in a variety of styles and sizes. Use the guidelines below to help you choose your great-looking set of Superior gas logs.

#### **VENT-FREE OR VENTED APPLICATIONS**

- Vent-Free Gas Log Sets can be installed in any certified vented fireplace or any ANSI Z21.11 certified vent-free universal firebox
- Vent-Free Gas Log Sets with Manual, Millivolt or Variable Controls are also listed to the ANSI Z21.60 Vented Log Decorative Standard, which requires the GA6080 damper clamp accessory

#### SAFE, CLEAN AND EFFICIENT OPERATION

- Clean and reliable heat without the worry and inefficiency of vented gas logs or burning wood
- Dual purpose Oxygen Depletion Sensing (ODS) safety pilot system protects against oxygen depletion and any interruption in the fuel supply
- Vent-Free Gas Log Heaters are designed and certified by PFS Corp. and meet or exceed all regulations and safety performance standards
- Meet or exceed nationally recognized standards/guidelines forindoor air quality

#### **VARIETY OF CONTROLS TO CHOOSE FROM**

Available control types vary depending on the Vent-Free Gas Log Series you choose.

#### **Manually Controlled Models**

- Continuous ODS safety pilot with matchless push-button ignition
- Manual on-off and variable high-low flame height control

#### **Millivolt Controlled Models**

- Continuous ODS safety pilot with matchless push-button ignition
- Manual on-off and variable high-low flame height control
- Remote control ready to accept a variety of optional hand-held remote and wall controls

#### **Variable Controlled Models**

- Continuous ODS safety pilot with matchless push-button ignition
- Manual on-off and variable high-low flame height control
- Includes remote control with digital display, manual or thermostatic modes and 5 flame height settings

#### **Electronic Ignition Controlled Models**

- Fuel saving electronic intermittent ODS safety pilot with battery back-up
- Manual on-off and 2 position high-low flame height control
- Includes remote control with digital display, manual or thermostatic modes and 3 flame height settings (Outdoor remote varies)

#### **CONCRETE OR CERAMIC FIBER LOGS**

Available log types vary depending on the Vent-Free Gas Log Series you choose.


- Concrete logs are highly detailed with the wood grain texture, look, feel and color of real wood logs
- Ceramic Fiber logs produce a realistic glow reminiscent of charred logs and burning coals in a real wood fire

#### FINISH WITH OPTIONAL ACCESSORIES

- Hand-held remote control, wall switch and wall thermostat kits
- Decorative volcanic stone and floor media kits
- Pine cones, log scraps and control cover kits
- Fireplace hood for mantel shelf protection
- Gas appliance connector kit and damper clamp

#### WARRANTY

All models include the Superior 3-year limited warranty




**IMPORTANT CONSIDERATIONS:** Read Owner's Manual before using. Installation must be done by qualified service persons. Check local codes and ordinances for permitted uses. Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts. All products approved for manufactured (mobile) home installation. We reserve the right to amend product specifications without notice. Operating heater at very high elevations could cause nuisance outages. Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated (Refer to owner's manual). Product cannot be converted between fuel types.



# **GLOW-RAMP Series**

- Glowing center fiber log and ember bed for wood fire realism
- Heavy-duty grate for enhanced rugged appeal
- Choose from concrete or ceramic fiber logs
- Millivolt control model is remote ready for optional remote and wall controls
- Variable control model includes ProFlame remote control
- Electronic control model includes EcoFlow Touchscreen remote control

**THE GLOW-RAMP Series** provides three distinct areas of flame: dancing yellow flames in the rear, glowing logs in the center and vibrant glowing embers in the front. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance. Hand crafted with high-definition bark and split wood details, the GLOW-RAMP series logs are molded from real timber to create the essence of authentic fire wood.







# ► PROFLAME REMOTE:

- LED Digital Display
- Manual & T-Stat Modes
- On-Off & 5 Flame Heights



#### **▶** ECOFLOW REMOTE:

- Touchscreen Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station





LOGS	SIZE	BURNER	MINIMUM FIREBOX DIMENSIONS				CONTROLS						
	JIZL	DOMNER	HEIGHT	DEPTH	FRONT	REAR	MILLIVOLT		VARIABLI	REMOTE	ELECTRONIC IGNITION		
				DELLIII	WIDTH	WIDTH	NG	LP	NG	LP	NG	LP	
BOULDER MOUNTAIN	18"	18"	17"	14-1/2"	26"	20"	21K-28K	19K-29K	19K-28K	21K-28K	21K-30K	24K-30K	
	24"	24"	17"	14-1/2"	29"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K	
	30"	24"	21"	14-1/2"	32"	22"	25K-39K	27K-39K	25K-39K	27K-39K	26K-39K	30K-39K	
	18"	18"	17"	13-1/2"	20"	14"	19K-28K	21K-28K	19K-28K	21K-28K	21K-30K	24K-30K	
SMOKEY MOUNTAIN	24"	24"	17"	13-1/2"	26"	18"	25K-39K	27K-39K	25K-39K	27K-39K	26K-39K	30K-39K	
SIVIONET IVIOUNTAIN	30"	24"	21"	13-1/2"	32"	22"	25K-39K	27K-39K	25K-39K	27K-39K	26K-39K	30K-39K	
	36"	24"	21"	13-1/2"	38"	27-1/2"	25K-39K	27K-39K	25K-39K	27K-39K	26K-39K	30K-39K	



# **MEGA-FLAME Series**

- Available in a wide range of sizes from 24" to 30" to an impressive 36"
- Highly detailed concrete logs with the wood grain texture and color of real wood logs
- Heavy-duty grate for enhanced rugged appeal
- Millivolt control model is remote ready for optional remote and wall controls
- Variable control model includes ProFlame remote control
- Electronic control model includes EcoFlow Touchscreen remote control

THE MEGA-FLAME Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. The MEGA-FLAME Series features two burners of bright yellow flames, plus a lower burner that creates a glowing ember bed. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.









LOGS	SIZE	BURNER	MINII	CONTROLS								
	3121		HEIGHT	DEPTH	FRONT	REAR	MILLIVOLT		VARIABLE REMOTE		ELECTRONIC IGNITION	
			HEIGHT		WIDTH	WIDTH	NG	LP	NG	LP	NG	LP
MOSSY OAK	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
GIANT TIMBERS	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K



# **MEGA-FLAME** Outdoor

- Available in a wide range of sizes from 24" to 30" to an impressive 36"
- Heavy-duty stainless steel chassis and grate for enhanced durability
- Highly detailed concrete logs with the wood grain texture and color of real wood logs
- May be used indoors in a vented application with required damper clamp installed
- Optional volcanic stone flame bed (MFEB) available (For vented applications only)
- Millivolt control model is remote ready for optional remote and wall controls
- Electronic control model includes RCAF3 remote control

**THE MEGA-FLAME OUTDOOR Series** boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Outdoor models feature two burners of bright yellow flames, a stainless steel chassis and grate, and an optional lava rock flame bed at its base (for vented applications only).





**CONCRETE LOGS** 





LOGS	SIZE	BURNER	MINIMUM FIREBOX DIMENSIONS				CONTROLS						
	3122	DOMNER	HEIGHT	DEDTU	FRONT	REAR	MILL	IVOLT	VARIABLE	E REMOTE	ELECTRONI	IC IGNITION	
				DEPTH	WIDTH	WIDTH	NG	LP	_	_	NG	LP	
GIANT TIMBERS	24"	24"	28"	15-1/2"	32-1/2"	22-3/4"	29K-40K	29K-40K	_	_	29K-40K	29K-40K	
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	_	_	29K-40K	29K-40K	
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	_	_	29K-40K	29K-40K	
	24"	24"	28"	15-1/2"	32-1/2"	22-3/4"	29K-40K	29K-40K	_	_	29K-40K	29K-40K	
MOSSY OAK	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	_	_	29K-40K	29K-40K	
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	_	_	29K-40K	29K-40K	



# TRIPLE-FLAME Series

- Tall dancing yellow flames and ember bed for wood fire realism
- Heavy-duty grate for enhanced rugged appeal
- Choose from concrete or ceramic fiber logs
- Millivolt control model is remote ready for optional remote and wall controls
- Variable control model includes ProFlame remote control
- Electronic control model includes EcoFlow Touchscreen remote control

THE TRIPLE-FLAME Series features a unique triple burner and glowing ember bed at its base to achieve the look of a real wood fire. Flickering embers are achieved through the implementation of two unique technologies and the burner offers the distinctive feature of an additional row of flames behind the logs. The result is a striking appearance with a very deep flame pattern. All models are heater rated with 99% heat efficiency and include a wood-burning grate.



#### **WILD TIMBER**

**CONCRETE LOGS** 



#### **RUGGED STACK**

**CONCRETE LOGS** 

## ► PROFLAME REMOTE:

- LED Digital Display
- Manual & T-Stat Modes
- On-Off & 5 Flame Heights



#### **▶** ECOFLOW REMOTE:


- Touchscreen Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station





#### **MASSIVE MIXED OAK**

**CERAMIC FIBER LOGS** 



LOGS	SIZE	BURNER	MINIMUM FIREBOX DIMENSIONS				CONTROLS						
	SIZE	DUNINEN	HEIGHT	DEPTH	FRONT	REAR	MILLIVOLT		VARIABLE REMOTE		ELECTRONIC IGNITION		
			IILIGIII	DELTIT	WIDTH	WIDTH	NG	LP	NG	LP	NG	LP	
	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K	
WILD TIMBER	24"	24"	19"	14"	32"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	
	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K	
MASSIVE MIXED OAK	24"	24"	19"	14"	32"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	
	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K	
RUGGED STACK	24"	24"	19"	14"	32"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	



# **DOUBLE-FLAME Series**

- Two rows of dancing yellow flames
- Heavy-duty grate for enhanced rugged appeal
- Choose from concrete or ceramic fiber logs
- Manual control model features variable high-low flame control
- Millivolt control model is remote ready for optional remote and wall controls

**THE DOUBLE-FLAME Series'** unique, clean-burning design provides 99% heating efficiency, which allows you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Heating vent-free gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.











LOGS	SIZE	BURNER	MINIMUM FIREBOX DIMENSIONS				CONTROLS						
	JIZL	DOMNER	HEIGHT	DEPTH	FRONT	REAR WIDTH	MANUAL		MILLIVOLT		VARIABLE	ELECTRONIC	
					WIDTH		NG	LP	NG	LP	_	_	
CENTURY OAK	18"	18"	17"	13"	24"	20"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	
	24"	18"	17"	13"	24"	20"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	
COLDEN OAK	18"	18"	17"	13-1/2"	24"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	
GOLDEN OAK	24"	18"	17"	13-1/2"	28"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	
CDECCENTIUM	18"	18"	17"	13-1/2"	24"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	
CRESCENT HILL	24"	18"	17"	13-1/2"	28"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	
TOWNSEND BARK	18"	18"	17"	13-1/2"	24"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	
	24"	18"	17"	13-1/2"	28"	20-1/2"	19K-36K	19K-36K	25K-36K	25K-36K	_	_	



#### **EXCLUSIVE FEATURES**

- For use in fireplaces with multiple openings
- Two rows of tall dancing yellow flames look great form any angle
- Highly detailed ceramic fiber five piece multi-log design
- Heavy-duty grate for enhanced rugged appeal
- Millivolt control model is remote ready for optional remote and wall controls

THE MULTI-SIDED Series is the perfect choice for see through, peninsula, corner and island fireplaces. This Vent-Free Gas Log Heater features "Remote Ready" controls, abundant yellow flames from a dual burner, plus a beautifully styled five piece multi-log design. Unique, clean-burning design provides 99% heating efficiency, which allows you to operate the logs vent-free with the fireplace damper closed.

LOGS	SIZE	BURNER	MINIMUM FIREBOX DIMENSIO		IONS CONTROLS							
	<u> </u>	DOMITER	HEIGHT	DEPTH	FRONT	REAR	MILL	IVOLT	/OLT VARIABL	E REMOTE	REMOTE ELECTRONIC IGN	
			HEIGHT	DEPTH	WIDTH	WIDTH	NG	LP	_	_	_	_
MULTI-SIDED	27"	27"	17"	19"	32"	32"	20K-39K	20K-39K	_	_	_	_

# **OPTIONAL REMOTES/ACCESSORIES**



TSRC Receiver Touch Screen Remote Kit





RCKIT 4001 On/Off Remote Receiver Wall Plate Kit







TRC T'stat On/Off Remote Kit

GWMT1 Wall Mount T'stat Control Kit











GWMS2 On/Off Wall Switch Kit





LAMF-Decorative Log Accessory Kit (Giant Timbers)



CDABKA Decorative Ash Bed/ Control Cover Kit



CIKA Gas Appliance Installation Kit



FM100 Floor Media Kit (3 media types) or Separate FDVS Volcanic Stone











785692M 05/17





