

MONTIGO®

DELRAY LINEAR

DRL3613

DRL3613-2

DRL4813

DRL4813-2

DRL6013

DRL6013-2

DRL7213

DRL7213-2

DELRAY / THE ART OF FIREPLACES



DELRAY

LINEAR

The perfect companion to today's design trends of minimalism & clean lines

DelRay Linear

Framing depth

The DelRay 36, 48, and 60 fit easily into a 14¼" framing depth

Combustible facing

Our unique firebox design allows for installing a combustible wood facing right down to the glass opening.

Trim kits

For uneven and ledgestone finishing, a slim finishing kit connects directly to the fireplace frame to conceal the finished edge. These kits are adjustable and can cover finishing depths up to 2".







DELRAY / FROM MINIMALIST TO INDULGENCE

DELRAY

LINEAR

ELEGANTLY SIMPLE

DELRAY FULL LOAD LINEAR

DELRAY BASIC LINEAR

DRL3613
DRL4813

SINGLE SIDED
DIRECT VENT

Standard

Concealed burner with
Ice fireglass

Multi-function
remote control

Remote controlled fans

Micro mesh safety screen

Black reflective glass

Halogen downlighting

Battery backup

Cement board

Options

Propane conversion kit

Adjustable trim kits

Speckled stones,
driftwood, glass media

Heat management

WiFi phone app control

Standard

Concealed burner with
Ice fireglass

Cement board

Options

Remote control

Fans

Micro mesh safety screen

Black reflective glass

Propane conversion kit

Adjustable trim kits

Battery backup

Speckled stones,
driftwood, glass media

Heat management





MONTIGO / DELRAY / LINEAR / DRL4813NI-2 / DRIFTWOOD SPECKLED STONES



MONTIGO / DELRAY / LINEAR / DRL3613NI-2 / ICE FIREGLASS / REFLECTIVE BLACK GLASS



REMOTE^{††}
RX200**

[†]Standard for full load units
^{††}Full load units only



WALL REMOTE[†]
EC1550



WIFI PHONE APP
CONTROL[†]
SIT-WIFI



BLACK GLASS[†]
RBGDRL**



DOWNLIGHTING^{††}



TRIM KIT
DRLT**..*



DELRAY / FROM MINIMALIST TO INDULGENCE

DELRAY

LINEAR

ELEGANTLY SIMPLE

DELRAY FULL LOAD LINEAR

DELRAY BASIC LINEAR

DRL6013
DRL7213

SINGLE SIDED
DIRECT VENT

Standard

Concealed burner with
Ice fireglass

Multi-function
remote control

Remote Hi-Lo flame

Remote controlled fans

Micro mesh safety screen

Black reflective glass

Halogen downlighting

Battery backup

Cement board

Options

Propane conversion kit

Adjustable trim kits

Speckled stones,
driftwood, glass media

Heat management

WiFi phone app control

Standard

Concealed burner with
Ice fireglass

Cement board

Options

Remote control

Fans

Micro mesh safety screen

Black reflective glass

Propane conversion kit

Adjustable trim kits

Battery backup

Speckled stones,
driftwood, glass media

Heat management





MONTIGO / DELRAY / LINEAR / DRL7213NI-2 / ICE FIREGLASS



MONTIGO / DELRAY / LINEAR / DRL6013NI / DRIFTWOOD SPECKLED STONES



REMOTE^{††}
RX200^{**}

[†]Standard for full load units
^{††}Full load units only



WALL REMOTE[†]
EC1550



WIFI PHONE APP
CONTROL[†]
SIT-WIFI



BLACK GLASS[†]
RBGDRL^{**}



DOWNLIGHTING^{††}



TRIM KIT
DRLT^{**..*}

OPTIONS &
FEATURES

DELRAY FINISHING

TRADITIONAL FINISHING • COOL WALL RELEASE / COOL WALL ADVANTAGE

The finishing options for the DelRay Linear are as diverse as the unit itself. Create a surface safe for combustibles with the Cool Wall Release or Cool Wall Advantage kit, or keep it simple with traditional finishing. It's all up to you.

Traditional Finishing

**DRL3613 NON-VENTED
CHASE SURFACE
TEMPERATURES**

Requires included cement board.

130°F
16" ABOVE
OPENING

140°F
12" ABOVE
OPENING

160°F
8" ABOVE
OPENING

180°F
4" ABOVE
OPENING

Standard
Drywall

Included
Cement Board



Trim Kits

For uneven and ledgestone finishing, we developed a slim finishing kit that fits directly to the fireplace frame to conceal the finished edge.

These kits are adjustable and cover finishing depths up to 2"

CHASE VENTING VALANCE

Prevent heat from being trapped within the chase by leaving the top open to allow heat to ventilate back into the room.

Cool Wall Release

Combustible Finish

95°F

16" ABOVE OPENING

100°F

12" ABOVE OPENING

100°F

8" ABOVE OPENING

105°F

4" ABOVE OPENING

VENTED CHASE SURFACE TEMPERATURES

DRL3613
Minimum 70² inch opening
DRL4813
Minimum 100² inch opening
DRL6013
Minimum 120² inch opening
DRL7213
Minimum 120² inch opening

Temperatures shown are based on a DRL3613NI-2 with vented chase

Minimum 6' chase
(When venting ports open or using Cool Wall Advantage kit)

Included cement board and stud heat deflector not required when using the Cool Wall Release or Cool Wall Advantage System.



VENTING PORTS

Opening the venting ports diverts heat through the chase, resulting in lower wall surface temperatures



SPECKLED STONES
RR***SS

COPPER
HW1143

AMBER
HW1261

ICE
HW1157

GLACIER
HW1219B

PLATINUM
HW1144

ALABASTER
HW1260

OBSIDIAN
HW1113

ONYX
HW1259

MEDIA

FROST
HW1112

QUARTZ
HW1106

EBONY
HW1091

DRIFTWOOD
LGS***




Unit Specifications

ICON LEGEND

| | | | |
|-----------|---|---------------|---|
| AVAILABLE | + | NOT AVAILABLE | - |
| DEDICATED | ◊ | STANDARD | ◦ |

| | BTU NATURAL GAS | BTU LIQUID PROPANE | NG EFFICIENCY | LP EFFICIENCY | VENTING | CLEARANCE TOP | CLEARANCE SIDES | CLEARANCE BACK | CLEARANCE FLOOR | FRONT VIEWING AREA | FRONT GLASS TYPE | STANDARD MEDIA | MICRO MESH SAFETY SCREEN | POWERVENT | REMOTE CONTROL | FANS | UPLIGHTING | DOWNLIGHTING |
|-------------|-----------------|--------------------|---------------|---------------|---------|---------------|-----------------|----------------|-----------------|--|------------------|----------------|--------------------------|-----------|----------------|------|------------|--------------|
| DRL3613*1-2 | 16,000 | 16,000 | 71% | 71% | 4"/7" | 21 | 1 | 2 | 0 | 36½ X 14 ¹¹ / ₁₆ | HIGH TEMPERATURE | HW1157 | ◦ | + | ◦ | ◦ | - | ◦ |
| DRL3613*1 | 16,000 | 16,000 | 71% | 71% | 4"/7" | 21 | 1 | 2 | 0 | 36½ X 14 ¹¹ / ₁₆ | HIGH TEMPERATURE | HW1157 | + | + | + | - | - | - |
| DRL4813*1-2 | 21,000 | 19,000 | 63% | 60% | 4"/7" | 21 | 1 | 2 | 0 | 48½ X 14 ¹¹ / ₁₆ | HIGH TEMPERATURE | HW1157 | ◦ | + | ◦ | ◦ | - | ◦ |
| DRL4813*1 | 21,000 | 19,000 | 63% | 60% | 4"/7" | 21 | 1 | 2 | 0 | 48½ X 14 ¹¹ / ₁₆ | HIGH TEMPERATURE | HW1157 | + | + | + | - | - | - |
| DRL6013*1-2 | 28 000 | 25 000 | 64% | 64% | 4"/7" | 36 | 1¾ | 2 | 0 | 60 ½ X 14 11/16 | HIGH TEMPERATURE | HW1157 | ◦ | + | ◦ | ◦ | - | ◦ |
| DRL6013*1 | 28 000 | 25 000 | 67% | 64% | 4"/7" | 36 | 1¾ | 2 | 0 | 60 ½ X 14 11/16 | HIGH TEMPERATURE | HW1157 | + | + | + | + | - | - |
| DRL7213*1-2 | 35 000 | 32 000 | 64% | 66% | 5"/8" | 38½ | 1¾ | 2 | 0 | 72½ X 14 11/16 | HIGH TEMPERATURE | HW1157 | ◦ | + | ◦ | ◦ | - | ◦ |
| DRL7213*1 | 35 000 | 32 000 | 66% | 67% | 5"/8" | 38½ | 1¾ | 2 | 0 | 72 ½ X 14 11/16 | HIGH TEMPERATURE | HW1157 | + | + | + | + | - | - |

DELRAY LINEAR FRAMING



| | A | B | C | D | E | F | G |
|---------|----------------------------------|---------------------------------|---------------------------------|----------------------------------|-----|----------------------------------|-----|
| DRL3613 | 43¾ | 67¾ | 47½ | 33 ¹¹ / ₁₆ | N/A | N/A | 14¼ |
| DRL4813 | 55¾ | 79¼ | 56 ¹ / ₁₆ | 33 ¹¹ / ₁₆ | N/A | N/A | 14¼ |
| DRL6013 | 68 ¹⁵ / ₁₆ | 91 ³ / ₁₆ | 64½ | 33 ¹¹ / ₁₆ | 25½ | 30 ¹¹ / ₁₆ | 14¼ |
| DRL7213 | 81 | 106¾ | 78¾ | 33 ¹¹ / ₁₆ | 26½ | 30 ¹¹ / ₁₆ | 16 |

1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to
www.montigo.com

MONTIGO[®]
the art of **fireplaces**



Our Guarantee

Montigo[®] stands behind the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces.



Printed in USA

XB2218 - Square
XB2216 - Linear